



Polarplas®


ROTATIONAL MOULDED HYGIENE PALLETS




OPTION OF RACK LOCK




VENTILATED TOP




PROTECTIVE SIDE EDGES



ANTI-SKID TOP



STEEL REINFORCEMENT



CUSTOMISED BOTTOM

+91 79 4007 3880

sales@polarplas.com

+91 98 2051 6300

Toll Free: 1800 123 55 8585

ROTATIONAL MOULDED HYGIENE PALLETS

Polarplas®


SALIENT FEATURES

Pallet provide effective and economical storage/transportation of goods and commodities
They also help in achieving tidy and clean workplace


- Durable with longer life span
- Bacterial and odour free
- Easy cleaning and hygienic
- Can be steel reinforced for extra strength and load bearing capacity
- Reusable many times
- Food grade material and direct food contact
- Non porous construction
- Can withstand temperature between -50 to +100 Degree Celsius
- High impact resistance
- One piece product without joints
- Chemical and heat resistance
- Moisture, termites and corrosion proof
- Custom design possible
- Easy to handle with forklift or pallet jack
- Ventilated or Plain Top
- Can be sterilised with hot water, steam and water jet

DIFFERENT TOP AVAILABLE


REGULAR TOP




VENTILATED TOP




CORRUGATED TOP




PERFORATED TOP



WITH SIDE EDGES




ANTI-SKID TOP




DIFFERENT BOTTOM AVAILABLE


3 LEG - PALLET




9 LEG PALLET




2 LEG PALLET




5 LEG PALLET



4 LEG PALLET




PLAIN BOTTOM (REVERSIBLE)



PUR/PE FOAMING PALLETS

Polarplas®

2 WAY ENTRY PALLETS




PP-1012-PTPS3L2W

Size in mm

Dimensions (LWH)	1000 x 1200 x 160
Fork Entry Side	1000 (S) (D) (R)

Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack lock




PP-1210-PTPS3L2W

Size in mm

Dimensions (LWH)	1200 x 1000 x 150
Fork Entry Side	1200 (S) (D) (R)

Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack lock




PP-1210-PEPS3L2W

Size in mm

Dimensions (LWH)	1200 x 1000 x 172
Fork Entry Side	1200 (S) (D) (R)

Plain Top, With Side Edge, PU & Steel, 3 Leg 2 Way Pallet Jack Entry, With Rack lock




PP-1212-PTPS3L2W

Size in mm

Dimensions (LWH)	1200 x 1200 x 160
Fork Entry Side	1200 (S) (D) (R)

Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack Lock




PP-1010-PTPS3L2W

Size in mm

Dimensions (LWH)	1000 x 1000 x 160
Fork Entry Side	1000 (S) (D) (R)

Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack Lock




PP-1111-PTPS3L2W**

Size in mm

Dimensions (LWH)	1100 x 1100 x 160
Fork Entry Side	1100 (S) (D) (R)

Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack Lock




PP-1070-PEPS3L2W**

Size in mm

Dimensions (LWH)	1000 x 700 x 165
Fork Entry Side	1000 (S) (D) (R)

Plain Top, With Side Edges, PU & Steel, 3 Leg 2 Way Pallet Jack Entry, With Rack lock




PP-1515-PTPS3L2W**

Size in mm

Dimensions (LWH)	1500 x 1500 x 160
Fork Entry Side	1500 (S) (D) (R)

Plain Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry, With Rack lock




PP-8012-PTPS3L2W

Size in mm

Dimensions (LWH)	1200 x 800 x 150
Fork Entry Side	800 (S) (D) (R)

Plain Top, With Side Edge, PU & Steel, 3 Leg 2 Way Pallet Jack Entry, With Rack lock




PP-1212-PEPS3L2W

Size in mm

Dimensions (LWH)	1200 x 1200 x 177
Fork Entry Side	1200 (S) (D) (R)

Plain Top, With Side Edges, PU & Steel, 3 Leg 2 Way Pallet Jack Entry, With Rack lock




PP-1290-RTPS3L2W

Size in mm

Dimensions (LWH)	1200 x 900 x 225
Fork Entry Side	1200 (S) (D) (R)

Round Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry



PP-1212-ASPS3L2W

Size in mm

Dimensions (LWH)	1200 x 1200 x 170
Fork Entry Side	1200 (S) (D) (R)

Anti Skid Top, PU & Steel, 3 Leg, 2 Way Pallet Jack Entry

*All Dimensions, Volume & Weight Mentioned are subjected to Tolerance.


** Subjected to MOQ

Copyright @ PIPL / MAY / 2025

PUR/PE FOAMING PALLETES

Polarplas®

2/4 WAY ENTRY PALLETES




PP-1012-VEPS3L2E

Size in mm

Dimensions (LWH)	1200 x 1000 x 165			
Fork Entry Side	1000	(S)	(D)	(R)

Ventilated Top, With Side Edges, PU and Steel
3 Leg, 2 Way Pallet Jack & 2 Way Euro Entry




PP-1012-PTPS3L2E

Size in mm

Dimensions (LWH)	1200 x 1000 x 150			
Fork Entry Side	1000	(S)	(D)	(R)

Plain Top, PU and Steel, 3 Leg, 2 Way Pallet
Jack & 2 Way Euro Entry




PP-1210-PTPS4L4E

Size in mm

Dimensions (LWH)	1200 x 1000 x 150			
Fork Entry Side	4 Side	(S)	(D)	(R)

Plain Top, PU & Steel, 4 Leg, 4 Way Euro Entry




PP-1210-PTPS5L4E

Size in mm

Dimensions (LWH)	1200 x 1000 x 160			
Fork Entry Side	4-Side	(S)	(D)	(R)

Plain Top, PU & Steel, 5 Leg, 4 Way Euro Entry




PP-1210-PTPS9L4W

Size in mm

Dimensions (LWH)	1200 x 1000 x 150			
Fork Entry Side	4-Side	(S)	(D)	(X)

Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack
Entry




PP-1010-PTPS9L4W

Size in mm

Dimensions (LWH)	1000 x 1000 x 170			
Fork Entry Side	4 Side	(S)	(D)	(X)

Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack
Entry




PP-1212-PTPS9L4W

Size in mm

Dimensions (LWH)	1200 x 1200 x 165			
Fork Entry Side	4-Side	(S)	(D)	(X)

Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack
Entry




PP-1080-PTPS9L4W**

Size in mm

Dimensions (LWH)	1000 x 800 x 165			
Fork Entry Side	4-Side	(S)	(D)	(X)

Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack
Entry




PP-1280-PTPS9L4W**

Size in mm

Dimensions (LWH)	1200 x 800 x 170			
Fork Entry Side	4 Side	(S)	(D)	(X)

Plain Top, PU & Steel, 4 Leg, 4 Way Euro Entry




PP-9090-PTPS5L4E**

Size in mm

Dimensions (LWH)	900 x 900 x 160			
Fork Entry Side	4-Side	(S)	(D)	(X)

Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack
Entry




PP-1111-PTPS9L4W**

Size in mm

Dimensions (LWH)	1100 x 1100 x 160			
Fork Entry Side	4-Side	(S)	(D)	(X)

Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack
Entry



PP-1515-PTPS9L4W**


Size in mm

Dimensions (LWH)	1500 x 1500 x 160			
Fork Entry Side	4 Side	(S)	(D)	(X)


Plain Top, PU & Steel, 9 Leg, 4 Way Pallet Jack
Entry

PUR/PE FOAMING PALLETES


2/4 WAY ENTRY PALLETES




PP-1212-AEPS3L2E	
Dimensions (LWH)	1200 x 1200 x 170
Fork Entry Side	4-Side (S) (D) (R)
Anti-Skid,With Lips, Steel Reinforcement 3Leg, 2 Way Pallet Jack Entry, 2 Way Euro Entry	




PP-1212-ASPS3L2E	
Dimensions (LWH)	1200 x 1200 x 160
Fork Entry Side	4-Side (S) (D) (R)
Anti-Skid and Locking top ,Steel Reinforcement 3Leg, 2 Way Pallet Jack Entry, 2 Way Euro Entry	



PP-1212-PEPS9L4W	
Dimensions (LWH)	1200 x 1200 x 170
Fork Entry Side	4-Side (S) (D) (X)
Anti-Skid Top, Steel Reinforcement, 3 Leg 2 Way Pallet Jack Entry	




PP-1212-PEPE3L2E		Size in mm
Dimensions (LWH)	1200 x 1200 x 170	
Fork Entry Side	4-Side (S) (D) (X)	
Plain Top, With Lips, PE Foam , 3 Leg 2 Way Pallet Jack Entry and 2 Way Forklift Entry		



PP-1212-PEPS3L2E		Size in mm
Dimensions (LWH)	1200 x 1200 x 170	
Fork Entry Side	4-Side (S) (D) (X)	
Plain Top, With Lips, PU Foam & Steel, 3 Leg 2 Way Pallet Jack Entry and 2 Way Forklift Entry		


PALLET USAGE GENERAL RULES



Always distribute goods evenly in cross-stacked over the pallet surface



Do not use a fork lift to push pallets across the floor, as the legs will get damaged.



Where possible, secure goods with stretch/shrink wrap or strapping to prevent dislodging of goods.



When using a forklift lift the goods completely off the ground. Ensure that fork has an appropriate length & angle.



When stacking soft goods in blocks, place a divider to prevent the top pallet from damaging the bottom goods Especially skid less pallets. (For Divider used Plywood)

*All Dimensions, Volume & Weight Mentioned are subjected to Tolerance.
** Subjected to MOQ

Polarplas®

A Global Plastic Moulding & Converting Company Since 1996

MARKET WE SERVE



CORPORATE OFFICE

POLARPLAS (INDIA) PRIVATE LIMITED

B 213 Ratnakar Nine Square, Opp. ITC Narmada Hotel, Mansi Road Vastrapur
Ahmedabad, Gujarat 380 015, India.

+91 79 400 783380 +91 95 1076 6405 SALES@POLARPLAS.COM

UK OFFICE

POLARPLAS UK LTD

Suit 264, Unit 3A, 34 -35 Hatton Garden
Holborn, London
United Kingdom EC1N 8DX

+44 79 1552 1129

+91 98 2051 6300

SALES@POLARPLAS.COM

MEA OFFICE

ROTOWORLD FZE

Ajman Free Zone
P O Box No - 17554
Ajman, UAE

+971 50 928 6997

+971 56 721 5247

SALES@ROTOWORLDFZE.COM