




WWW.POLARPLAS.COM

Polarplas®

PRODUCT CATALOGUE PU INJECTED PRODUCTS



Download E-Copy



+91 79 4007 3880

sales@polarplas.com

+91 98 2051 6300

Toll Free: 1800 123 55 8585



Copyright @ PIPL / March / 2025

A Global Plastic Moulding & Converting Company Since 1996

ABOUT US:


Polarplas® a sister concern of Seaplast India Private Limited established as a greenfield project in 1996 in Gujarat, India. The company is the leading global player in design, manufacturing and innovation in rotational moulded products having its direct presence in Europe, Middle East and the UK. With a customer base of over 500+, 28+ years history, 200+ products, 120+ employees and worldwide distributors we can deliver the products to every corner of the world. The products range includes proprietary products like single, double and triple wall insulated containers, hygiene pallets, plastic body refrigeration products and custom moulded products used in various industries.

The state-of-art manufacturing facility having in-house capability from designing, tool development, research, experiences in the moulding with multiple raw materials and extremely talented team members across every department make the company special and focused on the core rotational moulding business. The company belongs to the exclusive club of companies having in-house facilities for PU and PE insulated products. All the products are certified EU/FDA for direct food contact with certification for Fit for Food tested at EU labs. A certified company for ISO 9001:2015 standards from TUV SUD Management Service GmbH, Munich, Germany.

More details on the company can be found in our website www.polarplas.com or contact us at sales@polarplas.com




OUR MILESTONES :




OUR QUALITY STANDARDS



CERTIFIED



**TEMPERATURE
RETENTION**



**FOOD
GRADE**

OUR PRODUCT FEATURES



**THICK WALL
FOR HIGH
INSULATION**



**UNIVERSAL
STANDARD
DESIGN**



**HIGH
DENSITY
POLY URETHANE**



**ROBUST DESIGN
GIVES MORE
LIFE TO BOX**



**IMPACT
CRACK
RESISTANCE**



**FDA
APPROVED
RAW MATERIAL**



**UV
PROTECTIVE
RAW MATERIAL**



**INHOUSE
DESIGN
DEVELOPMENT**




**CLEAN
HYGIENIC
WASHABLE**

CUSTOMIZE COLOUR OPTIONS*




Red (DRD) Purple (DPE) Orange (OEC) Yellow (YWC) Beige (BEC) Dark Green (DGN) Light Green (LGN) Dark Grey (DGY) Light Grey (LGY) White (WEC) Dark Blue (LBE) Light Blue (DBE)



DOUBLE WALL PU INJECTED PRODUCTS

PUR (Polyurethane) foamed products are high-performance insulated solutions designed to provide superior thermal efficiency and structural durability. These products are created using rotational moulding technology, where a thick layer of high-density polyurethane foam is injected between moulded plastic walls. This seamless integration of insulation ensures minimal heat transfer, making PUR foamed products ideal for temperature-sensitive applications such as cold storage, seafood preservation, and industrial transport.

At **POLARPLAS**, we use premium-grade materials and advanced manufacturing techniques to produce durable, lightweight, and energy-efficient PUR foamed products. With expertise since 1996, we are committed to delivering high-quality insulation solutions that enhance performance, reliability and longevity in demanding environments.



Advantages of PU Foaming

- High Durability & Strength – Built from premium materials for rugged use.
- Lightweight & Easy Handling – Strong yet lightweight, ideal for transport.
- Corrosion & Chemical Resistant – Withstands harsh environments.
- Long-lasting Performance – Low maintenance & extended life-span.
- Eco-friendly & Energy Efficient – Reduces energy consumption & costs.
- Product with PU insulation has high Isothermal properties “R” Value.

More Reasons to Choose Polarplas



Stackable
With & Without
Lid



Air Tight
Lockable
Design



UV 12
Grade
Raw Material



Drain Thread
And Plug
Leak Proof




Easy to
Handle &
Transport




Forklift &
Pallet Truck
Access

DOUBLE WALL PU INJECTED PRODUCTS



PP-D0050P2U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	515	20	345	14	325	13
External (With Lid)	655	26	405	16	440	17
External (Without Lid)	655	26	405	16	390	15
Volume*: 50 L / 13.2 gal						



PP-D0070P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	675	27	415	16	275	11
External (With Lid)	750	29	485	19	390	15
External (Without Lid)	750	29	485	19	337	13
Volume*: 70 L / 18.4 gal						



PP-D0100P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	750	29	465	18	315	12
External (With Lid)	810	32	535	21	435	17
External (Without Lid)	810	32	535	21	381	15
Volume*: 100 L / 26.4 gal						



PP-DB200P1U


Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	640	25	640	25	520	21
External (With Lid)	820	32	716	28	700	29
External (Without Lid)	820	32	716	28	680	27
Volume*: 200 L / 52.8 gal						

Option :- Available W/O Bracket Plastic Handle



PP-D0210P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1270	50	420	16	430	17
External (With Lid)	1380	54	540	21	545	22
External (Without Lid)	NA	NA	NA	NA	NA	NA
Volume*: 210 L / 55.4 gal						



PP-D0220P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	905	36	515	20	528	20
External (With Lid)	980	38	585	23	615	24
External (Without Lid)	980	38	585	23	570	22
Volume*: 220 L / 58.1 gal						



PP-D0260P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	825	32	622	24	545	22
External (With Lid)	920	36	710	28	780	31
External (Without Lid)	920	36	710	28	731	29
Volume*: 260 L / 68.6 gal						



PP-D0260P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	875	34	510	20	630	25
External (With Lid)	1065	42	645	25	750	29
External (Without Lid)	1065	42	645	25	695	27
Volume*: 265 L / 70 gal						



PP-D0300P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	685	27	610	24	755	30
External (With Lid)	840	33	710	28	1000	39
External (Without Lid)	840	33	710	28	980	39
Volume*: 300 L / 79.2 gal						

Option :- Available With Bracket

DOUBLE WALL PU INJECTED PRODUCTS



PP-D0310P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	865	34	660	26	580	23
External (With Lid)	915	36	715	28	765	30
External (Without Lid)	915	36	715	28	712	28
Volume*: 306 L / 80.8 gal						

PP-D0380P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	900	35	700	27	610	24
External (With Lid)	950	37	750	29	815	32
External (Without Lid)	950	37	750	29	750	29
Volume*: 380 L / 100.3 gal						

PP-DB400P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1090	43	33	38	530	17
External (With Lid)	1335	52	1055	41	830	33
External (Without Lid)	1335	52	1055	41	810	32
Volume*: 440 L / 116 gal						



PP-D0460P1U


Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1165	46	970	38	430	17
External (With Lid)	1230	48	1030	41	650	25
External (Without Lid)	1230	48	1030	41	578	23
Volume*: 460 L / 121.5 gal						

PP-D0500R1U

Dimensions*	Diameter		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1080	42	NA	NA	510	20
External (With Lid)	1270	50	NA	NA	715	28
External (Without Lid)	1270	50	NA	NA	690	27
Volume*: 450 L / 118.8 gal						

PP-D0600P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1140	45	930	37	590	23
External (With Lid)	1200	47	1000	39	820	32
External (Without Lid)	1200	47	1000	39	750	29
Volume*: 590 L / 155.8 gal						



PP-DH630R1U

Dimensions*	Diameter		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1060	42	NA	NA	653	26
External (With Lid)	1270	50	NA	NA	995	39
External (Without Lid)	1270	50	NA	NA	835	33
Volume*: 630 L / 165 gal						

PP-D0630P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1100	43	910	36	600	24
External (With Lid)	1200	47	1000	39	780	31
External (Without Lid)	1200	47	1000	39	710	28
Volume*: 630 L / 165 gal						

PP-D6603P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1165	46	970	38	600	24
External (With Lid)	1230	48	1030	41	820	32
External (Without Lid)	1230	48	1030	41	755	30
Volume*: 660 L / 174.3 gal						

DOUBLE WALL PU INJECTED PRODUCTS



PP-DH660R1U

Dimensions*	Diameter		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1060	42	NA	NA	790	31
External	1270	50	NA	NA	1005	40
External (Without Lid)	1270	50	NA	NA	945	37
Volume*: 660 L / 174 gal						


Option :- Available Without Hump

PP-DX327P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1108	44	970	38	690	27
External (With Lid)	1240	49	1120	44	945	37
External (Without Lid)	1220	48	1080	42	890	35
Volume*: 705 L / 186.2 gal						

PP-D0800P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1390	55	1100	43	555	22
External (With Lid)	1465	58	1180	46	803	32
External (Without Lid)	1465	58	1180	46	738	29
Volume*: 792 L / 209.2 gal						



PP-D1000P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1390	55	1100	43	710	28
External	1465	58	1180	46	955	38
External (Without Lid)	1465	58	1180	46	890	35
Volume*: 1000 L / 264.1 gal						

PP-DX335P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1115	44	990	39	990	39
External (With Lid)	1240	49	1120	44	1275	50
External (Without Lid)	1200	47	1100	43	1220	48
Volume*: 1010 L / 266.8 gal						

PP-D1000P2U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1580	62	1100	43	580	23
External (With Lid)	1727	68	1234	48	850	33
External (Without Lid)	1727	68	1234	48	768	30
Volume*: 1000 L / 264.1 gal						



PP-D1400P1U

Dimensions*	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1870	74	1048	41	660	26
External (With Lid)	1990	78	1170	46	940	37
External (Without Lid)	1990	78	1170	46	865	34
Volume*: 1270 L / 335.4 gal						

DOUBLE WALL PU INJECTED ICE BOX / COOLER BOX



PP-D0015P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	345	14	235	9	200	8
External	440	17	360	14	295	12
Volume*: 15 L / 3.9 gal						

PP-D0020P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	425	17	335	13	165	6
External	470	18	280	15	225	9
Volume*: 20 L / 5.2 gal						

PP-D0025P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	410	16	291	11	253	10
External	490	19	370	14	308	12
Volume*: 25 L / 6.6 gal						

PP-D0025P2U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	390	15	272	11	253	10
External	495	19	325	13	300	12
Volume*: 25 L / 6.6 gal						



PP-D0040P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	285	11	264	10	610	24
External	410	16	340	13	710	28
Volume*: 40 L / 10.5 gal						

PP-D0050P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	515	20	350	14	300	12
External	615	24	435	17	375	15
Volume*: 50 L / 13.2 gal						

PP-D0050P2U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	520	20	330	13	305	12
External	580	23	415	16	385	15
Volume*: 50 L / 13.2 gal						

PP-D0050V1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	520	20	350	14	300	12
External	615	24	435	17	385	15
Volume*: 50 L / 13.2 gal						



PP-D0060P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	500	20	365	14	345	14
External	600	24	470	18	415	16
Volume*: 60 L / 15.8 gal						

PP-D0060V1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	500	20	365	14	345	14
External	600	23	470	18	445	17
Volume*: 60 L / 15.8 gal						

PP-D0070V1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	500	20	355	14	400	15
External	650	26	460	18	545	22
Volume*: 70 L / 18.4 gal						

PP-D0080P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	565	22	255	10	680	25
External	720	28	330	13	710	28
Volume*: 80 L / 21.1 gal						




PP-D0080V1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	670	26	400	16	300	12
External	775	30	475	19	385	15
Volume*: 80 L / 21.1 gal						

PP-D0100P2U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	520	20	405	16	550	29
External	580	23	470	18	675	27
Volume*: 100 L / 26.4 gal						

PP-D0110P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	650	26	430	17	375	15
External	750	30	530	21	525	21
Volume*: 106 L / 28 gal						

PP-D0110V1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	650	26	430	17	375	15
External	750	29	530	21	550	22
Volume*: 106L / 28 gal						

DOUBLE WALL PU INJECTED ICE BOX / COOLER BOX



PP-D0110P2U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	650	26	485	19	370	14
External	795	31	585	23	535	21
Volume*: 110 L / 29 gal						

PP-D0110V2U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	650	26	485	19	370	14
External	795	31	585	23	550	22
Volume*: 110 L / 29 gal						

PP-D0120P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	500	19	400	15	570	28
External	595	23	494	19	830	33
Volume*: 125 L / 33 gal						

PP-D0120V1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	500	20	480	19	570	22
External	600	23	620	24	735	29
Volume*: 120 L / 31.7 gal						



PP-D0120V2U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	520	21	520	21	510	20
External	620	24	620	24	685	27
Volume*: 120 L / 31.7 gal						

PP-D0125V1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	645	25	420	16	478	19
External	831	33	570	22	729	29
Volume*: 128 L / 33.8 gal						


PP-D0150P1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	730	29	480	19	460	18
External	865	34	580	23	590	23
Volume*: 150 L / 39.6 gal						

PP-D0150V1U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	730	28	485	19	465	18
External	865	34	580	23	610	24
Volume*: 150 L / 39.6 gal						



PP-D0150V2U						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	700	27	455	18	555	22
External	800	31	590	23	725	28
Volume*: 150 L / 39.6 gal						

Vaccine Carrier Containers



PP-DVC25P1U					
Dimensions	Length		Width		Height
	MM	INCH	MM	INCH	MM
Internal	400	16	290	11	240
External	590	23	480	19	440
Volume*: 25 L / 6.6 gal					

PP-DVC60P1U					
Dimensions	Length		Width		Height
	MM	INCH	MM	INCH	MM
Internal	530	21	400	15	290
External	750	29	620	24	550
Volume*: 60 L / 15.8 gal					

Accessories



Clamp - 1



Clamp - 2



Clamp - 3



Clamp - 4



Brass Stopper



Clamp - 5



Rubber Strap



SS Hinge- 1"




SS Hinge- 1.5 & 2"



Buffer Bush

Chill Pad With PCM



120 ml - 4 Liters



Drain Plug-35S



Drain Plug-53S



O-Ring 35S



O-Ring 53S



DOUBLE & SINGLE WALL ICE BOX / COOLER BOX

**KBD0020P1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	320	13	250	10	270	11
External	360	14	290	11	300	12
Volume*: 20 Liters / 5.2 gal						

**KBD0025P1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	355	14	335	13	245	10
External	405	16	285	11	305	12
Volume*: 25 Liters / 6.6 gal						

**KBD0025P2**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	385	15	270	11	255	10
External	495	19	315	12	305	12
Volume*: 25 Liters / 6.6 gal						

**KBD0050P2**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	505	20	350	14	300	12
External	615	24	390	15	385	15
Volume*: 50 Liters / 13.2 gal						

**KBD0050V1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	505	20	350	14	300	12
External	615	24	390	15	385	15
Volume*: 50 Liters / 13.2 gal						

**KBD0060P1**


Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	505	20	361	14	350	14
External	620	24	425	17	440	17
Volume*: 60 Liters / 15.8 gal						

**KBD0060V1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	505	20	361	14	350	14
External	620	24	425	17	440	17
Volume*: 60 Liters / 15.8 gal						

**KBD0070P1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	685	27	415	16	275	11
External	750	29	485	19	390	15
Volume*: 70 Liters / 18.4 gal						

**KBD0070P2**


Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	515	20	360	14	380	15
External	650	25	430	17	475	19
Volume*: 70 Liters / 18.4 gal						

**KBD0070V1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	415	16	415	16	395	15
External	500	20	500	20	495	19
Volume*: 70 Liters / 18.4 gal						

**KBD0070V2**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	515	20	360	14	380	15
External	650	26	430	17	495	19
Volume*: 70 Liters / 18.4 gal						

**KBD0075P1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	590	23	400	16	290	11
External	650	25	450	18	345	14
Volume*: 75 Liters / 20 gal						

**KBD0080P2**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	560	22	270	11	620	24
External	713	28	350	14	710	28
Volume*: 80 Liters / 21.1 gal						

**KBD0100P1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	740	29	465	18	335	13
External	805	32	530	21	425	17
Volume*: 100 Liters / 26.4 gal						

**KBD0100P2**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	670	26	450	18	360	14
External	770	30	550	22	445	17
Volume*: 100 Liters / 26.4 gal						

**KBD0100V1**

Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	670	26	450	18	360	14
External	770	30	550	22	485	19
Volume*: 100 Liters / 26.4 gal						



DOUBLE & SINGLE WALL ICE BOX / COOLER BOX



KBD0120V1						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	520	20	520	20	510	20
External	620	24	620	24	685	27
Volume*: 120 Liters / 31.7 gal						



KBD0125V1						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	660	26	460	18	520	20
External	785	31	605	24	705	28
Volume*: 125 Liters / 33 gal						



KBD0130P1						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	582	23	560	22	470	18
External	730	28	612	24	575	23
Volume*: 128 Liters / 33.8 gal						



KBD0150P1						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	750	29	500	20	415	16
External	910	39	595	23	530	21
Volume*: 150 Liters / 39 gal						



KBD0220P1						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	855	34	485	19	590	23
External	955	37	585	23	705	28
Volume*: 220 Liters / 58 gal						




KBD0240P1						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	1254	49	380	15	560	22
External	1355	53	480	19	670	26
Volume*: 240 Liters / 63 gal						



KBD0310P1						
Dimensions	Length		Width		Height	
	MM	INCH	MM	INCH	MM	INCH
Internal	865	34	655	26	650	25
External	1005	39	715	28	700	30
Volume*: 310 Liters / 82 gal						

Single Wall Products



PP-S0075			
Dimensions	Length	Width	Height
External	600 mm 24 in	400 mm 16 in	325 mm 13 in
Volume*: 75 Liter / 20 gal			



PP-S0400			
Dimensions	Length	Width	Height
External	1050 mm 41 in	800mm 31in	705mm 28in
Volume*: 400 Liter / 105 gal			

Polarplas®

A Global Plastic Moulding & Converting Company Since 1996

MARKET WE SERVE



CORPORATE OFFICE **POLARPLAS (INDIA) PRIVATE LIMITED**

B 213 Ratnakar Nine Square, Opp. ITC Narmada Hotel, Mansi Road, Vastrapur
Ahmedabad, Gujarat 380 015, India.

+91 79 4007 3880 +91 98 2051 6300 SALES@POLARPLAS.COM

UK OFFICE **POLARPLAS UK LTD**

Suit 264, Unit 3A, 34 -35 Hatton Garden
Holborn, London
United Kingdom EC1N 8DX

+44 79 1552 1129

+91 98 2051 6300

SALES@POLARPLAS.COM

MEA OFFICE **ROTOWORLD FZE**

Ajman Free Zone
P O Box No - 17554
Ajman, UAE

+971 50 928 6997

+971 56 721 5247

SALES@ROTOWORLDFZE.COM